



Lexmark C950

Lexmark C950 Colour Printer

Smart printing. Brilliant colour. Designed for your busy workgroup, the Lexmark C950de features professional quality A3 colour printing, flexible features, outstanding media handling, an intuitive touch screen and easy-to-use workflow solutions.



Outstanding colour output

Make a lasting impression on your customers and do more printing in-house with vibrant, professional-quality output on a wide variety of media. With the advanced technology of the C950de, you'll get high-performance SRA3 / 12x18 printing capability that produces consistent colour from the first page to the last.

- ▶ 1200x1200 print resolution for rich vibrant colours and crisp black text
- ▶ PANTONE® calibration for consistent colour tones
- ▶ Named Colour Replacement for easy colour matching
- ▶ Lexmark Colour Care Technology to manage colour use and control costs
- ▶ Create professional collateral materials ranging from saddle stitch booklets to folded brochures on media up to SRA3 / 12x18-inches

Productive and intuitive


The Lexmark C950de combines high-performance printing with easy-to-use features and time-saving workflow applications designed to boost your productivity.

- ▶ Print at speeds of up to 50 ppm black and 45 ppm colour: time to first page as quick as 5.2 seconds
- ▶ Easy to navigate 10.9 cm (4.3-inch) colour touch screen provides audible feedback to make completing tasks intuitive
- ▶ Preloaded applications help you drive greater efficiency in your workflow
- ▶ Print Preview and Post Process Job Changes allow you to duplex, add finishing or select individual pages for printing

Built for business

The Lexmark C950de features a robust print engine designed to handle the most demanding workloads with the advanced features and flexibility you need to run your business.

- ▶ Strong, multi-layered security features help protect your devices, your documents, your information and your network infrastructure
- ▶ Robust connectivity makes it easy to integrate into almost any network environment
- ▶ Simplify device monitoring and administration through the embedded web server, Lexmark Universal Print Driver and Lexmark MarkVision Enterprise
- ▶ Process graphic-intensive jobs easily with 1.2GHz processor and 1GB RAM standard
- ▶ Choose from multiple input options to expand capacity up to 5,140 sheets
- ▶ Easy-to-replace aftermarket cartridges provide yields of up to 32,000¹ pages black and up to 22,000¹ pages colour



True. Image. Always

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliability. Maximise the return on your investment, optimise the performance of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. The C950de is backed by Lexmark's 1-Year Limited Warranty; extended warranty plans are also available.

The right touch

The Lexmark e-Task colour touch screen is a key access point to your printer. The customisable 10.9 cm (4.3-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as to change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.

Save time and money through solutions

The C950de features the Lexmark Embedded Solutions Framework, our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following solutions are preloaded on the Lexmark C950de. A diverse portfolio of additional Lexmark solutions is available to help accommodate your workflow needs.



Forms and Favorites

Eliminate waste and inefficiencies associated with pre-printed forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Eco Settings

Choose from multiple print settings that help reduce energy, paper and toner consumption.



Change Language³

Easily switch the language displayed on the touch screen—18 languages supported.



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Easy device management

Manage your output environment effectively with Lexmark MarkVision Enterprise. This free browser-based software gives you complete visibility into your entire fleet of network printers and MFPs regardless of manufacturer. MarkVision Enterprise makes it easy for administrators to configure, track, view, troubleshoot and proactively manage your devices throughout their lifecycle, from the moment you connect them to the network until the day you retire them.

Consistent colour, every time

Produce professional documents confidently in-house knowing that the named colours of your company's brand and logo will print accurately and consistently every time. Through Lexmark Named Colour Replacement, included standard with your device, users can enter specific colour values for easy colour matching, including PANTONE® Colour and colours in the DIC Colour Guide.

Protecting your information

From the data travelling through your network to the pages being printed, multilayered security features and built-in capabilities help you protect your devices, documents, data and network.

- ▶ Supports a variety of user authentication and authorisation controls
- ▶ Card reader option allows users to authenticate with proximity or swipe cards
- ▶ Advanced hard disk encryption protects sensitive data on the printer's optional disk drive
- ▶ Automatic, scheduled or manual disk wiping removes latent data (hard disk optional)
- ▶ IPSec, SNMPv3 and 802.1x network security are supported
- ▶ Security-audit logging tracks and identifies security risks

Eco-responsible printing

The C950de makes it easy for you to print responsibly. Features include duplex to save paper, Eco-mode to reduce paper and toner consumption and a Sleep Button with hibernate mode to help you save energy. The C950de also helps you save energy through its instant warm-up fuser and specially designed toner, which fuses at a low temperature.



Intuitive colour touch screen

The large 10.9 cm (4.3-inch) colour touch screen allows you to operate your printer with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



Direct USB

The front USB port allows convenient walk-up printing and is compatible with many printable image file formats.



Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



Exceptional media handling

Ultra-reliable paper feeding lets you load up to six different types of media, including banner support up to 47.24-inches and weights up to 300 gsm.



Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punching, expanded output stacking and booklet capability.



Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.




Lexmark C950de colour printer shown with optional 2,520-Sheet Tandem Tray Module, Booklet Finisher and 2,000-Sheet High Capacity Feeder.

C950de ordering information

Part #	Models	Part #	Memory options	Part #	Extended warranties
22Z0001	Lexmark C950de	1025041	256MB DDR2-DRAM	2354207	C950 2-Years Total Onsite Service, Next Business Day
Part #	Laser toner/print cartridge	1025042	512MB DDR2-DRAM	2354208	C950 3-Years Total Onsite Service, Next Business Day
C950X2KG	C950 Black Extra High Yield Toner Cartridge	1025043	1024MB DDR2-DRAM	2354209	C950 4-Years Total Onsite Service, Next Business Day
C950X2CG	C950 Cyan Extra High Yield Toner Cartridge	14F0245	256MB Flash Card	2354210	C950 5-Years Total Onsite Service, Next Business Day
C950X2MG	C950 Magenta Extra High Yield Toner Cartridge	27X0014	160+ GB Hard Disk	2354211	C950 1-Year Onsite Service Renewal, Next Business Day
C950X2YG	C950 Yellow Extra High Yield Toner Cartridge	30G0287	Arabic Font Card	Part #	User replaceable parts
C950X71G	C950, X95x Photoconductor Unit 1-Pack	30G0828	Japanese Font Card	40X7569	C950, X95x Fuser Maintenance Kit, 320K, 110-120V
C950X73G	C950, X95x Photoconductor Unit 3-Pack	30G0825	Korean Font Card	40X7540	C950, X95x 160K Maintenance Kit
C950X76G	C950, X95x Waste Toner Bottle	30G0826	Simplified Chinese Font Card	40X7560	C950, X95x 480K Maintenance Kit
25A0013	Staple Cartridges (3 pack)	30G0827	Traditional Chinese Font Card	Part #	Installation service
21Z0357	Booklet Saddle Staple Cartridges (4 pack)	Part #	Application solutions	2355249	Lexmark Installation Service Group 2 Category B
Part #	Paper handling	22Z0183	C950 Card for IPDS		
22Z0014	C950, X95x 2520-sheet tandem tray module	22Z0184	C950 Card for PRESCRIBE Emulation		
22Z0013	C950, X95x 3x520-sheet drawer stand	22Z0182	C950 Forms and Bar Code Card		
22Z0012	C950, X95x 520-sheet drawer stand	57X9000	Lexmark PrintCryption Card		
22Z0016	C950, X95x 3500-sheet finisher (3-hole)	Part #	Connectivity		
22Z0017	C950, X95x booklet finisher (3-hole)	27X0030	MarkNet™ N8250 802.11b/g/n Wireless Print Server		
22Z0015	C950, X95x 2000-sheet high capacity feeder	14F0042	MarkNet™ N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server		
22Z0205	C950, X95x banner media tray	1021294	USB Cable (2-meter)		
		14F0000	Parallel 1284-B Interface Card		
		1021231	Parallel Cable (10-foot)		
		14F0100	RS-232C Serial Interface Card		

In the box
 Lexmark C950de colour printer, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, black, cyan, magenta, and yellow photoconductor units, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information
 *Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Colour single function product



Product specifications	Lexmark C950de
Print	
Display	Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen
Print Speed: Up to	Black: 50 ppm / Colour: 45 ppm
Time to First Page: As fast as	Black: 5.2 seconds / Colour: 7.7 seconds
Print Resolution	Black: 1200 x 1200 dpi, 2400 Image Quality / Colour: 1200 x 1200 dpi, 2400 Image Quality
Memory	Standard: 1024 MB / Maximum: 2048 MB
Hard Disk	Option available
Recommended Monthly Page Volume ³	4000 - 33000 pages
Maximum Monthly Duty Cycle: Up to ⁴	225000 pages per month
Supplies	
Supplies Yield ¹	22,000-page Colour (CMY) Toner Cartridges, 32,000-page Black Toner Cartridge
Photoconductor Estimated Yield: Up to ²	115000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product ¹	11,000-page Colour (CMY) Starter Toner Cartridges, 16,000-page Black Starter Toner Cartridge
Paper Handling	
Paper Handling Standard	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray
Paper Handling Optional	2,000-Sheet High Capacity Feeder, 2,520-Sheet Tandem Tray Module, 3 x 520-Sheet Drawer Stand, 3,500-Sheet Finisher, 520-Sheet Drawer Stand, Banner Media Tray, Booklet Finisher
Paper Input Capacity: Up to	Standard: 620 pages 75 gsm bond / Maximum: 5140 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 500 pages 75 gsm bond / Maximum: 3750 pages 75 gsm bond
Media Types Supported	Envelopes, Glossy paper, Labels, Plain Paper, Refer to the Card Stock & Label Guide., Transparencies, Card Stock
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, A3, A4, A5, A6, C5 Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Oficio, Statement, Super Tabloid (12 x 18"), Universal
General Information	
Standard Connectivity	Ethernet 10/100/1000 BaseTX (RJ-45), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified port (Type A), USB 2.0 Specification Hi-Speed Certified (Type B)
Optional Network Ports / Optional Local Ports	Internal MarkNet™ N8130 Fiber Fast Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel
Noise Level: Operating	Print: 53 dBA
Specified Operating Environment	Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 15 to 85% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F)
Product Guarantee	1-Year Onsite Service, Next Business Day
Size (mm - H x W x D) / Weight	565 x 640 x 685 mm / 95.0 kg

¹Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. ²Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ³Recommended Monthly Page Volume™ is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁴Maximum Monthly Duty Cycle™ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2016 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.