



Lexmark CS317dn



CS317dn

Take your business to the next level with stunning colour

This entry-level, professional colour printer, with PANTONE® calibration, ensures accurate colour that helps take your business to the next level. The CS317dn delivers up to 25 printed pages per minute from a compact and affordable device that includes advanced security, networking, a 2-line LCD display and mobile print capability.*

Brilliant, accurate colour

Lexmark's colour-matching tools and PANTONE calibration produce stunning colour pages at up to 25 pages per minute, so you can save time and money by printing colour images and documents in-house. Thanks to a dual-core processor and 256MB of memory (upgrades up to 2.3GB), even complex documents with graphics and images print quickly. The CS317dn can deliver the first colour page in as little as 11 seconds.



Colour



Up to 25 ppm



Network



Duplex



Unison Toner



Security



Mobility

Dependable security, with mobile print capability

Extensive network security features and protocols are built-in to protect your device, information and network from unauthorized access. Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.

Comprehensive warranty

The affordable CS317dn is so well made, we back it with a solid 1-year warranty that offers you multiple ways to obtain help: phone, e-mail, live chat and remote assistance. Plus, if your device ever fails, we'll ship you a replacement device through our Advanced Exchange program so you're up and printing again as quickly as possible. See Statement of Limited Warranty for details.

*Requires free Lexmark Mobile Print app with Android or iOS mobile device.

Outstanding supplies value

Lexmark's exclusive Unison™ Toner keeps your cost of printing low, with toner yields that provide great value at prices that are budget friendly. Cartridges yield up to 2,300 colour and 3,000 black pages and they never require shaking, which minimizes interruptions and keeps your work moving. The Lexmark print system and Unison Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

User-friendly

The CS317dn is simple to install, easy to use and offers full compatibility with nearly every operating system and network, so you'll be up and running in minutes. It's built to last, so you'll easily be able to print up to 5,000 pages per month, thanks to our state-of-the-art paper handling technology.

Monitor operating status and supply levels on the printer's easy-to-use, 2-line LCD screen, or from a remote location via its Web interface. Add an extra paper tray to boost input to 900 pages for fewer interruptions.

Eco-friendly


Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first colour page as fast as 11 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimize noise and energy consumption.



Product specifications		Lexmark CS317dn
Printing		
Display	16 character, 2-line backlit All Points Addressable (APA) LCD Display	
Print Speed: Up to ⁶	Black: 25 ppm / Colour: 25 ppm	
Time to First Page: As fast as / Time to First Page: as fast as	Black: 10 seconds / Colour: 11 seconds	
Print Resolution	Black: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)	
Memory / Processor	Standard: 256 MB / Maximum: 2304 MB / Dual Core, 800 MHz	
Hard Disk	Not Available	
Recommended Monthly Page Volume ²	500 - 5000 pages	
Maximum Monthly Duty Cycle: Up to ³	60000 pages per month	
Supplies⁷		
Laser Cartridge Yields (up to) ¹	2,300-page Colour (CMY) Cartridges, 3,000-page Black Cartridge	
Photoconductor Estimated Yield: Up to ⁵	40,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ¹	1,400-page Black Starter Return Program Toner Cartridge, 750-page Color (CMY) Starter Return Program Toner Cartridge	
Paper Handling		
Included Paper Handling	250-Sheet Input, 125-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed	
Optional Paper Handling	550-Sheet Duo Tray with 100-Sheet Feeder	
Paper Input Capacity: Up to	Standard: 250+1 pages 20 lb or 75 gsm bond / Maximum: 900+1 pages 20 lb or 75 gsm bond	
Paper Output Capacity: Up to	Standard: 125 pages 20 lb or 75 gsm bond / Maximum: 125 pages 20 lb or 75 gsm bond	
Media Types Supported	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.	
Media Sizes Supported	A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio	
General Information⁴		
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Ethernet 10/100BaseTX (RJ-45), also works with 1000Base-T	
Optional Network Ports	External MarkNet™ N7020e Gigabit Ethernet, MarkNet N8352 802.11b/g/n Wireless	
Noise Level: Operating	Print: 48 dBA	
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)	
Limited Warranty - See Statement of Limited Warranty	1-Year Exchange Service, Next Business Day	
Size (mm - H x W x D) / Weight	291 x 442 x 407 mm / 20.3 kg	

¹Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. ²Recommended Monthly Page Volume² is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle³ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁶Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details.

Lexmark CS317dn features



© 2017 Lexmark. All rights reserved.

Lexmark and the Lexmark logo are trademarks or registered trademarks of Lexmark International, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a US registered mark.